



DU-5K-FSR

DESKTOP KEYBOARD WITH FORCE SENSING RESISTOR

The DU-5K-FSR is designed to meet NEMA 4X specifications. It features an ABS polycarbonate case, 116 keys including 24 function keys, and a Force Sensing Resistor pointing device. These features make the DU-5K-FSR a total solution in one convenient package. Features: 10-Key Numeric Pad 116-Key Functionality Integrated Force Sensing Resistor Pointing Device Polycarbonate Case with Mounting Holes USB and PS/2 configurations available

Product Code DU-5K-FSR

CERTIFICATIONS	NEMA 4X, UL60950, FCC Part 15 Class B
SHOCK	3x11 ms pulses of 50g on each of 3 axes
CABLE	LENGTH: 10 feet (3 meters) DESIGN: "Y" PS/2 (providing separate keyboard and mouse connections), or Single-Cable USB
KEY SWITCH	MATERIAL: Industrial silicone rubber LIFE: Greater than 10 million cycles TRAVEL: 0.055 in. (1.4mm) ACTUATION FORCE: 7.05 oz. +/- 1.06 oz. (200g +/- 30g) FEEDBACK: Tactile with mechanical snap
VIBRATION	POWER SPECTRAL DENSITY: 0.4g ² /Hz FREQUENCY RANGE: 20Hz - 2 kHz DURATION OF TEST PER AXIS: 3 hours
POWER	PS/2: KEYBOARD: 35mA@5V (from Keyboard port) POINTER: 5mA@5V (from Mouse port) USB: 35mA@5V (from CPU port)
COMPATIBILITY	PS/2 KEYBOARD/POINTER: All Windows Operating Systems USB KEYBOARD/POINTER: All Windows and Macintosh OS
TEMPERATURE RANGE	STORAGE: -40C to +70C (-40F to +158F) OPERATING: -20C to +60C (-40F to +140F)
WEIGHT	2.25 lbs +/- 0.10 lbs (1.02 kg +/- 0.05 kg)
WARRANTY	1 Year Limited Warranty
HUMIDITY	100%
DIMENSIONS	14.94" x 6.63" x 1.81" (w-h-d) 379.5mm x 168.4mm x 45.9mm
MODEL NUMBERS	DU-5K-PS2: With PS/2 cable DU-5K-USB: With USB cable